## **Author Index for 2003**

Issue	Page
S1	i
S1	61
S1	105
S1	167
2	171
S1	41
4	359
1	94
1	95
	S1 S1 S1 4 1

	Ferrero, Elena — see: Mancin, Nicoletta, Pirini, Camilla, Bicchi, Erica, Ferrero, Elena and Valleri, Gigliola		
	Fornaciari, E. — see: Raffi, I., Mozzato, C., Fornaciari, E., Hilgen, F. J. and Rio, D.		
10.	Friedrich, Oliver and Meier, K. J. Sebastian — Stable isotopic indication for the cyst formation depth of Campanian/Maastrichtian calcareous dinoflagellates	4	375
	Hakyemez, Aynur — see: Sanfilippo, Annika, Hakyemez, Aynur and Tekin, Ugur Kaðan		
11.	Hanagata, Satoshi — Miocene-Pliocene foraminifera from the Ni gata oil-fields region, northeastern Japan	4	293
	Hasegawa, Shiro — see: Shimada, Chieko, Hasegawa, Shiro, Tanimura, Yoshihiro and Burckle, Lloyd H.		
	Heckel, Philip H. — see: Lambert, Lance L., Heckel, Philip H., and Barrick, James E.		
	Heilmann-Clausen, Claus — see: Dupuis, Christian, Aubry, Marie-Pierre, Steurbaut, Etienne, Berggren, William A., Ouda, Khaled, Magioncalda, Roberto, Cramer, Benjamin S., Kent, Dennis V., Speijer, Robert P. and Heilmann-Clausen, Claus		
	Hilgen, F. J. — see: Raffi, I., Mozzato, C., Fornaciari, E. Hilgen, F. J. and Rio, D.		
12	. Inan, Nurdan — Cocoarota orali n. sp. (Foraminifera) from Upper Maastrichtian-Lower Lutetian deposits of Turkey	2	201
	Jauhri, Anil K. — see: Matsumaru, Kuniteru and Jauhri, Anil K.		
	Kamal, Dalia — see: Boukhary, Mohamed and Kamal, Dalia		
	Kent, Dennis V.—see: Dupuis, Christian, Aubry, Marie-Pierre, Steurbaut, Etienne, Berggren, William A., Ouda, Khaled, Magioncalda, Roberto, Cramer, Benjamin S., Kent, Dennis V., Speijer, Robert P. and Heilmann-Clausen, Claus		
13	. Kent, Dennis V. and Dupuis, Christian — Paleomagnetic study of the Paleocene-Eocene Tarawan Chalk and Esna Shale: Dual polarity remagnetizations of Cenozoic sediments in the Nile Valley (Egypt)	S1	139
14	. Knox, Robert W. O'B., Aubry, Marie-Pierre, Berggren, William A., Dupuis, Christian, Ouda, Khaled, Magioncalda, Roberto and Soliman, Mamdouh — The Qreiya Section at Gebel Abu Had: Lithostratigraphy, clay mineralogy, geochemistry and biostratigraphy	S1	93
15	. Lambert, Lance L., Heckel, Philip H., and Barrick, James E. — Swadelina new genus (Pennsylvanian Conodonta), a taxon with potential chronostratigraphic significance	2	151
	Leckie, R. Mark — see: Tibert, Neil E., Colin, Jean-Paul, Leckie, R. Mark and Babinot, Jean-François		
	Luo, Hui — see: Wang, Yujing, Aitchison, Jonathan C., and Luo, Hui		
	Luther, Axel — see: Fauth, Gerson, Seeling, Jens and Luther, Axel		
	Magioncalda, Roberto — see: Dupuis, Christian, Aubry, Marie-Pierre, Steurbaut, Etienne, Berggren, William A., Ouda, Khaled, Magioncalda, Roberto, Cramer, Benjamin S., Kent, Dennis V., Speijer, Robert P. and Heilmann-Clausen, Claus		
	Magioncalda, Roberto — see: Knox, Robert W. O'B., Aubry, Marie-Pierre, Berggren, William A., Dupuis, Christian, Ouda, Khaled, Magioncalda, Roberto and Soliman, Mamdouh		
16	o. Mai, Hartmut, Speijer, Robert P., Schulte, Peter — Calcareous index nannofossils (coccoliths) of the lowermost Paleocene originated in the late Maastrichtian	2	189
17	Mancin, Nicoletta, Pirini, Camilla, Bicchi, Erica, Ferrero, Elena and Valleri, Gigliola — Middle Eocene to Middle Miocene planktonic foraminiferal biostratigraphy for internal basins (Monferrato and northern Appennines, Italy)	4	341
18	8. Matsumaru, Kuniteru and Jauhri, Anil K. — Lakadongia, a new Orbitoidal foraminiferal genus from the Thanetian (Paleocene) of Meghalaya, NE India	3	277
	Medioli, Franco — see: Scott, David B., Medioli, Franco and Braund, Regan		
	Meier, K. J. Sebastian — see: Friedrich, Oliver and Meier, K. J. Sebastian		
19	O. Mello e Sousa, Silvia Helena de, Fairchild, Thomas R. and Tibana, Paulo — Cenozoic biostratigraphy of larger foraminifera from the Foz do Amazonas Basin, Brazil	3	253
	Mozzato, C. — see: Raffi, I., Mozzato, C., Fornaciari, E., Hilgen, F. J. and Rio, D.		
20	O. Mukhopadhyay, S. K. — A rare foraminiferal assemblage with new species of Nummulites and Globigerina from the Eocene-Oligocene transition strata of Cambay Basin, India	1	65

<ol> <li>Nagy, Jenö and Seidenkrantz, Marit-Solveig — New foraminiferal taxa and revised biostratigraphy of Jurassic marginal marine deposits on Anholt, Denmark</li> </ol>	1	27
22. Nishimura, Akiko — The skeletal structure of Prunopyle antarctica Dreyer (Radiolaria) in sediment samples from the Antarctic Ocean	2	197
Obaidalla, Nageh — see: Berggren, William A., Ouda, Khaled, Ahmed, Ezzat A., Obaidalla, Nageh and Saad, Khaled		
Ouda, Khaled — see: Berggren, William A. and Ouda, Khaled; — see also: Berggren, William A., Ouda, Khaled, Ahmed, Ezzat A., Obaidalla, Nageh and Saad, Khaled; — see also: Dupuis, Christian, Aubry, Marie-Pierre, Steurbaut, Etienne, Berggren, William A., Ouda, Khaled, Magioncalda, Roberto, Cramer, Benjamin S., Kent, Dennis V., Speijer, Robert P. and Heilmann-Clausen, Claus; — see also: Knox, Robert W. O'B., Aubry, Marie-Pierre, Berggren, William A., Dupuis, Christian, Ouda, Khaled, Magioncalda, Roberto and Soliman, Mamdouh		
23. Ouda, Khaled — The Paleocene/Eocene boundary in Egypt: An overview	S1	15
24. Ouda, Khaled and Berggren, William A. — Biostratigraphic correlation of the Upper Paleocene- Lower Eocene succession in the Upper Nile Valley: A synthesis	S1	179
25. Ouda, Khaled, Berggren, William A. and Saad, Khaled — The Gebel Owaina and Kilabiya sections in the Idfu-Esna area, Upper Nile Valley (Egypt)	S1	147
Pirini, Camilla — see: Mancin, Nicoletta, Pirini, Camilla, Bicchi, Erica, Ferrero, Elena and Valleri, Gigliola		
26. Raffi, I., Mozzato, C., Fornaciari, E., Hilgen, F. J. and Rio, D. — Late Miocene calcareous nannofossil biostratigraphy and astrobiochronology for the Mediterranean region	1	1
Rio, D see: Raffi, I., Mozzato, C., Fornaciari, E. Hilgen, F. J. and Rio, D.		
Saad, Khaled — see: Berggren, William A., Ouda, Khaled, Ahmed, Ezzat A., Obaidalla, Nageh and Saad, Khaled		
Saad, Khaled — see: Ouda, Khaled, Berggren, William A. and Saad, Khaled		
27 Sanfilippo, Annika, Hakyemez, Aynur and Tekin, Ugur Kağan — Biostratigraphy of Late Paleocene - Middle Eocene radiolarians and foraminifera from Cyprus	1	47
Schulte, Peter — see: Mai, Hartmut, Speijer, Robert P., Schulte, Peter		
28. Scott, David B., Medioli, Franco and Braund, Regan — Foraminifera from the Cambrian of Nova Scotia: The oldest multichambered foraminifera	2	109
Seeling, Jens — see: Fauth, Gerson, Seeling, Jens and Luther, Axel		
Seidenkrantz, Marit-Solveig — see: Nagy, Jenö and Seidenkrantz, Marit-Solveig		
<ol> <li>Shimada, Chieko, Hasegawa, Shiro, Tanimura, Yoshihiro and Burckle, Lloyd H. — A new index to quantify diatom dissolution levels based on a ratio of Neodenticula seminae frustule compo- nents</li> </ol>	3	267
Soliman, Mamdouh — see: Knox, Robert W. O'B., Aubry, Marie-Pierre, Berggren, William A., Dupuis, Christian, Ouda, Khaled, Magioncalda, Roberto and Soliman, Mamdouh		
30. Soliman, Mamdouh F. — Chemostratigraphy of the Paleocene/Eocene (P/E) boundary sediments at Gabal el-Qreiya, Nile Valley, Egypt	S1	123
Speijer, Robert P. — see: Dupuis, Christian, Aubry, Marie-Pierre, Steurbaut, Etienne, Berggren, William A., Ouda, Khaled, Magioncalda, Roberto, Cramer, Benjamin S., Kent, Dennis V., Speijer, Robert P. and Heilmann-Clausen, Claus; — see also: Mai, Hartmut, Speijer, Robert P., Schulte, Peter		
31. Speijer, Robert P.— Systematics and paleoecology of the foraminifer Neoeponides duwi (Nakkady) from the Paleocene of Egypt	2	146
32. Sterrenburg, F. A. S. — Studies on the diatom genera Gyrosigma and Pleurosigma (Bacillario-phyceae): Pleurosigma strigosum W. Smith and some presumptive relatives	2	159
Steurbaut, Etienne — see: Dupuis, Christian, Aubry, Marie-Pierre, Steurbaut, Etienne, Berggren, William A., Ouda, Khaled, Magioncalda, Roberto, Cramer, Benjamin S., Kent, Dennis V., Speijer, Robert P. and Heilmann-Clausen, Claus		
Tanimura, Yoshihiro — see: Shimada, Chieko, Hasegawa, Shiro, Tanimura, Yoshihiro and Burckle, Lloyd H.		
Tekin, Ugur Kağan — see: Sanfilippo, Annika, Hakyemez, Aynur and Tekin, Ugur Kaðan		

Tibana, Paulo — see: Mello e Sousa, Silvia Helena de, Fairchild, Thomas R. and Tibana, Paulo		
33. Tibert, Neil E., Colin, Jean-Paul, Leckie, R. Mark and Babinot, Jean-François — Revision of the ostracode genus Fossocytheridea Swain and Brown 1964: Mesozoic ancestral root for the modern eurytopic Cyprideis Jones	3	205
Valleri, Gigliola — see: Mancin, Nicoletta, Pirini, Camilla, Bicchi, Erica, Ferrero, Elena and Valleri, Gigliola		
34. Wang, Yujing, Aitchison, Jonathan C. and Luo, Hui — Devonian radiolarian faunas from South China	2	127
35. Watkins, David K. and Bergen, James A. — Late Albian adaptive radiation in the calcareous nannofossil genus Eiffellithus	3	231
36. Youssef, M. M. — Structural setting of central and south Egypt: An overview	S1	1

## **Subject Index for 2003**

NOTE: Names of new taxa are set in bold-face type. Numbers refer to papers listed in the author index.

Alabama

Maastrichtian

nannofossils (coccoliths), 16

Albian, late

ODP Leg 171B

nannofossils, 35

Antarctic Ocean Radiolaria, 22

Antarctica, Ross Island

Campanian

ostracods, 9

Astrobiochronology

Miocene, Late

Mediterranean region, 26

Australia, Western

Devonian

Charophyta, 7

Brazil

Cenozoic

foraminifera, 19

Cambrian

Nova Scotia

foraminifera, 28

Campanian

Antarctica, Ross Island

ostracods, 9

Campanian/Maastrichtian

dinoflagellates

stable isotope indicators, 10

Cenozoic

foraminifera

Brazil, 19

Charophyta

Devonian

Australia, Western, 7

Quasiumbella bulla, 7

Quasiumbella carnarvonensis, 7

Quasiumbella gneudnaensis, 7

Quasiumbella langoora, 7

China

Devonian

radiolarians, 34

Conodonts

Pennsylvanian, 15

Swadelina, 15

Swadelina neoshoensis, 15

Cyprus

biostratigraphy

Late Paleocene-Middle Eocene, 27

Dabibya Quarry Section, Egypt geophysical properties, 6

Jurassic

biostratigraphy, foraminiferal, 21

Australia, Western

Charophyta, 7

China

radiolarians, 34

Diatoms

dissolution levels, 29

Gyrosigma, 32

Pleurosigma, 32

Neodenticula seminae, 29

Dinoflagellates

Campanian/Maastrichtian

stable isotope indicators, 10

Egypt

Dababiya Quarry Section

geophysical properties, 6

Eocene, lower

biostratigraphy, 2, 3

geologic structure, 36

Kilabiya section

biostratigraphy, 25

Middle Eocene

foraminifera, 5

Owaina section

biostratigraphy, 25

Paleocene

foraminifera, 31

Paleocene, upper

biostratigraphy, 2, 3

Paleocene/Eocene boundary

paleomagnetic study, 13

Paleocene/Eocene boundary, 23

**Qreiya Section** 

geophysical properties, 14

**Qreiya Section** 

chemostratigraphy, 30

Eocene, lower

Egypt

biostratigraphy, 2, 3

Eocene, Middle to Middle Miocene

foraminiferal biostratigraphy, 17

Eocene, Middle

foraminifera

Egypt, 5

radiolarians

Cyprus, 27

Eocene-Oliogocene

India, Cambay Basin zonation, 20

Foraminifera

Cambrian

Nova Scotia, 28

Cenozoic

Brazil, 19

Cocoarota orali, 12

Cyclammina pseudopusilla, 11

Eocene, Middle

Egypt, 5

Haplophragmoides propygmaeus, 21

Ammobaculites bivarians, 21

Ammobaculites nanogyrus, 21

Kutsevella spilota, 21 Bulbobaculites vermiculus, 21

Lakadongia, 18

Lakadongia indica, 18

Maastrichtian

Turkey, 12

Middle Eocene to middle Miocene

Italy, 17

Miocene/Pliocene boundary

Japan, 11

Nummulites Ivelli, 5

Nummulites longilocula, 20

Globigerina dinodensis, 20

Orbitosiphonidae, 18 Paleocene

Egypt, 31

Paleocene

India, 18

India

Paleocene

foraminifera, 18

Eocene-Oligocene zonation, 20

Italy

Middle Eocene to middle Miocene

foraminiferal biostratigraphy, 17

Japan

Miocene/Pliocene boundary

foraminifera, 11

Jordan

Maastrichtian

nannofossils (coccoliths), 16

## Subject Index for 2003, continued

Jurassic

biostratigraphy Denmark, 21

Maastrichtian

Netherlands

nannofossils (coccoliths), 16

nannofossils (coccoliths), 16

nannofossils (coccoliths), 16

Turkey

foraminifera, 12

Mediterranean region

biostratigraphy, nannofossil Miocene, Late

Mesozoic

ostracods, 33

Miocene, Late

biostratigraphy, nannofossil Mediterranean region, 26

Miocene/Pliocene boundary

Japan

foraminifera, 11

Nannofossil biostratigraphy

Miocene, Late

Mediterranean region, 26

Nannofossils (coccolliths)

Maastrichtian

zonation, 16

Nannofossils

Albian, late

ODP Leg 171B

Eiffellithus praestigium, 35

Eiffellithus vonsalisiae, 35

Eiffellithus equibiramus, 35 Eiffellithus parvus, 35

Netherlands

Maastrichtian

nannofossils (coccoliths), 16

Nova Scotia

Cambrian

foraminifera, 28

Ostracods

Campanian

Antarctica, Ross Island, 9

Fossocytheridea mosbyense, 33

Fossocytheridea kirklandi, 33

Mandelstamia antarctica, 9

Rostrocytheridea hamiltonensis, 9 Mesozoic, 33

Paleocene

Egypt

foraminifera, 31

India

foraminifera, 18

Paleocene, Late, to Middle Eocene

biostratigraphy

Cyprus, 27

Paleocene, upper

Egypt

biostratigraphy, 2, 3

Paleocene/Eocene

Egypt, 23

biostratigraphic sythesis, 24

paleomagnetic boundary, 13

Pennsylvanian

Conodonts, 15

Radiolaria

Antarctic Ocean, 22

Prunopyle antarctica, 22

Devonian

China, 34

Trilonche parapalimbola, 34

Texas

Maastrichtian

nannofossils (coccoliths), 16

Tunisia

Maastrichtian

nannofossils (coccoliths), 16

Turkey

Maastrichtian

foraminifera, 12

